

TELEPHONE TARIFF
FILED WITH BOARD

1. APPLICATION AND REFERENCE

1.4 TARIFF FORMAT

1.4.1 LOCATION OF MATERIAL

- A. Section 1 provides the following for all of the sections in this Tariff:
 - Subject Index - an alphabetical listing to find the desired section.
 - Table of Contents - A numerical listing to find the desired section and page.
- B. Each individual section in the Tariff provides a Subject Index for the material located within that section.
- C. Obsolete Service Offerings

Obsolete service offerings are identified in the Tariff by adding 100 to the current section number, i.e., obsolete items from Section 6, Switched Access Service, would be found in Section 106, Obsolete Switched Access Service. This section is then filed behind Section 6

1.4.2 OUTLINE STRUCTURE

This document uses nine levels of indentations referred to as Tariff Information Management (TIM) Codes, as outlined below:

LEVEL	APPLICATION	EXAMPLE
1	Section Heading	1. APPLICATION AND REFERENCE
2	Sub Heading	1.4 TARIFF FORMAT
3	Sub Heading	1.4.1 LOCATION OF MATERIAL
4	Sub Heading/Text	A. Text
5	Sub Heading/Text	1. Text
6	Sub Heading/Text	a. Text
7	Sub Heading/Text	(1) Text
8	Sub Heading/Text	(a) Text
9	Footnotes	[1] Text

TELEPHONE TARIFF
FILED WITH BOARD

1. APPLICATION AND REFERENCE

1.4 TARIFF FORMAT (CONT'D)

1.4.3 RATE TABLES

Within rate tables, four types of entries are allowed:

- Rate Amount

The rate amount indicates the dollar value associated with the service.

- A dash "-"

The dash indicates that there is no rate for the service or that a rate amount is not applicable under the specific column header.

- A footnote designator "[1]"

The footnote designator indicates that further information is contained in a footnote.

- ICB

The acronym "ICB" indicates that the product/service is rated on an individual case basis.

1.4.4 USOC COLUMN

Within USOC columns, two types of entries are allowed:

- USOC

The three- or five-character code for the product or service.

- N/A

The "N/A" indicates that there is no applicable USOC.

1. APPLICATION AND REFERENCE

1.5 EXPLANATION OF CHANGE SYMBOLS

SYMBOL	EXPLANATION
(C)	To signify changed regulation, term or condition
(D)	To signify discontinued material
(I)	To signify rate increase
(M)	To signify material moved from or to another part of the Tariff with no change, unless there is another change symbol present
(N)	To signify new material
(R)	To signify rate reduction
(T)	To signify a change in text but no change in rate, regulation, term or condition

TELEPHONE TARIFF
FILED WITH BOARD

1. APPLICATION AND REFERENCE

1.6 EXPLANATION OF ABBREVIATIONS

ABD	-	Average Business Day
ac	-	alternating current
AML	-	Actual Measured Loss
ANI	-	Automatic Number Identification
APP	-	Application Date
AS	-	Access Service
ASCIC	-	Access Service Customer Identification Charge
ASG	-	Access Service Group
ASR	-	Access Service Request
AT	-	Access Tandem
ATP	-	Access Transport Parameter
ATTP	-	Access Tandem Trunk Port
AT&T	-	American Telephone and Telegraph Company
BD	-	Business Day
B8ZS	-	Bipolar Eight Zero Substitution
BHMC	-	Busy Hour Minutes of Capacity
BP	-	Billing Percentage
CAROT	-	Centralized Automatic Reporting on Trunks
CCC	-	Clear Channel Capability
CCL	-	Carrier Common Line
CCS	-	One hundred call seconds
CCSA	-	Common Control Switching Arrangement
CCSAC	-	Common Channel Signaling Access Capability
CCSN	-	Common Channel Signaling Network
CIC	-	Carrier Identification Code
CL	-	Common Line
CMRS	-	Commercial Mobile Radio Service
CN	-	Charge Number
CNCC	-	Customer Network Control Center
CO	-	Central Office
COCTX	-	Central Office Centrex
CP	-	Customer's Premises
CPE	-	Customer Provided Equipment
CPN	-	Calling Party Number
CSACC	-	Customer Service Administration Control Center
CSP	-	Carrier Selection Parameter
CSR	-	Customer Service Records
Ctx	-	Centrex
DA	-	Directory Assistance
dB	-	Decibel

1. APPLICATION AND REFERENCE

1.6 EXPLANATION OF ABBREVIATIONS (CONT'D)

dBm	-	Decibel milliwatt
dBm0	-	Decibel reference to one milliwatt relative to zero level
dBrn	-	Decibel Reference Noise
dBrnc	-	Decibel Reference Noise C-Message Weighting
dBrnc0	-	Decibel Reference Noise C-Message Weighted 0
dBv	-	Decibel(s) relative to 1 volt (reference)
dBvL	-	Decibel(s) relating to 1 volt (reference)
dc	-	direct current
DD	-	Service Date
DDA	-	Digital Data Access
DLRD	-	Design Layout Report Date
DTMF	-	Dual Tone Multifrequency
DTT	-	Direct-Trunked Transport
EDD	-	Envelope Delay Distortion
EF	-	Entrance Facility
800 DB	-	800 Data Base
EI	-	Expanded Interconnection
EICT	-	Expanded Interconnection Channel Termination
ELEPL	-	Equal Level Echo Path Loss
EML	-	Expected Measured Loss
EO	-	End Office
EOSP	-	End Office Shared Port
EPL	-	Echo Path Loss
ERL	-	Echo Return Loss
ESS	-	Electronic Switching System
ESSX	-	Electronic Switching System Exchange
EU	-	End User
EXM	-	Exit Message
f	-	frequency
F.C.C.	-	Federal Communications Commission
FGA	-	Feature Group A
FGB	-	Feature Group B
FGC	-	Feature Group C
FGD	-	Feature Group D
FID	-	Field Identifier
FPOS	-	First Point of Switching
FSPOI	-	Facility Signaling Point of Interconnection
FX	-	Foreign Exchange
HC	-	High Capacity
Hz	-	Hertz

(N)

1. APPLICATION AND REFERENCE

1.6 EXPLANATION OF ABBREVIATIONS (CONT'D)

IAM	-	Initial Address Message
IC	-	Interexchange Carrier
ICB	-	Individual Case Basis
ICL	-	Inserted Connection Loss
ISDN	-	Integrated Services Digital Network
ISUP	-	Integrated Services Digital Network User Part
kbps	-	kilobits per second
kHz	-	kilohertz
LATA	-	Local Access and Transport Area
LOF	-	Letter on File
LS	-	Local Switching
Ma	-	milliamperes
Mbps	-	Megabits per second
MECAB	-	Multiple Exchange Carrier Access Billing
MECOD	-	Multiple Exchange Carrier Ordering and Design
MF	-	Multifrequency
MHz	-	Megahertz
M. Min.	-	Measured Minutes
M. Mes.	-	Measured Messages
MOU	-	Minutes of Use
MRC	-	Monthly Recurring Charge
MTS	-	Message Telecommunications Service(s)
MTSO	-	Mobile Telephone Switching Office
MTS/WATS	-	Message Telecommunications Service and/or Wide Area Telecommunications Service
MUX	-	Multiplexing
NPA	-	Numbering Plan Area
NRC	-	Nonrecurring Charge
NTS	-	Non-Traffic Sensitive
NXX	-	Three Digit Central Office Code
OTPL	-	Zero Transmission Level Point
PAL	-	Public Access Line
PBX	-	Private Branch Exchange
PCM	-	Pulse Code Modulation
PDR	-	Percent Direct Routed
PI	-	Priority Installation
PIC	-	Primary Interexchange Carrier
PIU	-	Percent Interstate Use
PLTS	-	Private Line Transport Service
POM	-	Percent Other Messages
POT	-	Point of Termination
POTS	-	Plain Old Telephone Service
PR	-	Priority Restoration

(N)

1. APPLICATION AND REFERENCE

1.6 EXPLANATION OF ABBREVIATIONS (CONT'D)

- PSP - Payphone Service Provider
- PTD - Plant Test Date
- RESP ORG - Responsible Organization
- rms - root-mean-square
- RSM - Remote Switching Modules
- RSS - Remote Switching Systems
- SCD - Selective Carrier Denial
- SCP - Service Control Point
- SF - Single Frequency
- SMS/800 - Service Management System/800
- SP - Signal Point
- SPOI - Signaling Point of Interface
- SRL - Singing Return Loss
- SSN - Switched Service Network
- SSP - Service Switching Point
- SS7 - Signaling System 7
- STP - Signal Transfer Point
- SWC - Serving Wire Center
- TCAP - Transaction Capabilities Application Part
- TES - Telephone Exchange Service(s)
- TLP - Transmission Level Point
- TST - Tandem-Switched Transport
- TT - Tandem Transmission
- USOC - Uniform Service Order Code

- VG - Voice Grade
- V & H - Vertical & Horizontal
- WATS - Wide Area Telecommunications Service(s)
- WSO - WATS Serving Office

(D)

QWEST CORPORATION

IOWA TARIFF NO. 4
Access Service

SECTION 1
1st Revised Page 28
Cancels Original Page 28

TELEPHONE TARIFF
FILED WITH BOARD

1. APPLICATION AND REFERENCE

1.7 TRADEMARKS, SERVICE MARKS AND TRADE NAMES

Marks are identified in text throughout this document in all caps and italics, e.g., *SWITCHNET 56* Service.

1.8 REFERENCE TO OTHER TARIFFS

Whenever reference is made in this Tariff to other tariffs of the Company, the reference is to the tariffs in force as of the effective date of this Tariff, and to amendments thereto and successive issues thereof.

(D)

Issued: March 8, 2005

Effective: March 22, 2005

By: Ione E. Wilkens
General Manager - Policy & Law

TELEPHONE TARIFF
FILED WITH BOARD

1. APPLICATION AND REFERENCE

1.9 REFERENCE TO TECHNICAL PUBLICATIONS

- A. All service(s) offered in this document must conform to the transmission specification standards contained in this document or in the following Technical References.
- B. The following publications may be obtained from Telcordia, Customer Service, 8 Corporate Place, PYA-3A184, Piscataway, NJ 08854-4196:

TITLE	PUBLICATION NUMBER
LATA Switching Systems Generic Requirements (LSSGR)	FR-64
Operator Services Systems Generic Requirements (OSSGR)	FR-271
Ordering and Billing Forum-Multiple Exchange Carrier Access Billing (MECAB)	SR-BDS-000983
Trunk Traffic Engineering Concepts And Applications	SR-TAP-000191

TELEPHONE TARIFF
FILED WITH BOARD

1. APPLICATION AND REFERENCE

1.9 REFERENCE TO TECHNICAL PUBLICATIONS

B. (Cont'd)

TITLE	PUBLICATION NUMBER
Ordering and Billing Forum-Multiple Exchange Carrier Ordering and Design Guidelines (MECOD)	SR-TAP-000984
Telecommunications Transmission Engineering Textbook	ST-TEC-000053
Compatibility Information for Feature Group B Switched Access Service	TR-NPL-000175
Compatibility Information for Feature Group D Switched Access Service	TR-NPL-000258
Voice Grade Switched Access Service - Transmission Parameter Limits and Interface Combinations	GR-334-CORE

TELEPHONE TARIFF
FILED WITH BOARD

1. APPLICATION AND REFERENCE

1.9 REFERENCE TO TECHNICAL PUBLICATIONS

B. (Cont'd)

TITLE	PUBLICATION NUMBER
Switching System Requirements for Interexchange Carrier Interconnection Using the Integrated Services Digital Network User Part (ISDNUP)	GR-394-CORE
Network Transmission Interface and Performance Specification Supporting Integrated Services Digital Network (ISDN)	TR-NWT-000938
Common Channel Signaling (CCS) Network Interface Specification Supplement 1	GR-905-CORE
Common Channel Signaling (CCS) Network Interface Specification Supporting Alternate Billing Services (ABS)	GR-954-CORE
Common Channel Signaling (CCS) Network Interface Specification Supporting Integrated Services Digital Network (ISDN)	TR-TSV-000962

TELEPHONE TARIFF
FILED WITH BOARD

1. APPLICATION AND REFERENCE

1.9 REFERENCE TO TECHNICAL PUBLICATIONS

B. (Cont'd)

TITLE	PUBLICATION NUMBER
Dual-Tone Multifrequency Receiver Generic Requirements for End-to-End Signaling Over Tandem-Switched Voice Links	TR-TSY-000181
Network Interface Description for ISDN Customer Access	TR-TSY-000776
SONET Digital Switch Trunk Interface Criteria	TR-TSY-000782

TELEPHONE TARIFF
FILED WITH BOARD

1. APPLICATION AND REFERENCE

1.9 REFERENCE TO TECHNICAL PUBLICATIONS (CONT'D)

- C. The following Technical publications may be obtained from Faison Office Products Company, Customer Services, 3251 Revere St., Suite 200, Aurora, CO 80011:

TITLE	PUBLICATION NUMBER
Qwest Corporation DS3 Service	77324
Qwest Corporation Common Channel Signaling Interconnections	77342

TELEPHONE TARIFF
FILED WITH BOARD

1. APPLICATION AND REFERENCE

1.9 REFERENCE TO TECHNICAL PUBLICATIONS

C. (Cont'd)

TITLE	PUBLICATION NUMBER
1.544 Mbit/s Channel Interfaces Technical Specifications for Network Channel Interface Codes Describing Electrical Interfaces at Customer Premises and at Qwest Corporation Central Offices	77375
Physical and Virtual Collocation and Associated DS1 and DS3 Expanded Interconnection Channel Terminations	77386

TELEPHONE TARIFF
FILED WITH BOARD

1. APPLICATION AND REFERENCE

1.10 REFERENCE TO OTHER PUBLICATIONS

- A. The following publications are available for inspection in the Public Reference room of the Tariff Division at the main building of the Federal Communications Commission located at 1919 M Street N.W., Washington, D.C., and may be obtained from the Federal Communications Commission's commercial contractor:

TITLE

CC Docket No. 83-1145, Phase I
Memorandum Opinion and Order
(Including Appendices A, B, and C)
Adopted: May 31, 1985
Released: June 12, 1985

National Exchange Carrier Association, Inc.
Tariff F.C.C. No. 4

Qwest Corporation
Tariff F.C.C. No. 1

- B. The following publication may be obtained by contacting the Company Account Representative:

TITLE

Qwest Corporation Service Interval Guide

Qwest Corporation Tandem Sectorization Guide

TELEPHONE TARIFF
FILED WITH BOARD

1. APPLICATION AND REFERENCE

1.10 REFERENCE TO OTHER PUBLICATIONS (CONT'D)

- C. The following publications may be obtained through the Government Printing Office, Superintendent of Documents, Document Control Branch, 941 N. Capitol St. N.E., Washington, D.C. 20401:

TITLE

Telecommunications Service Priority (TSP) System for National Security Emergency Preparedness (NSEP) Service Vendor Handbook, National Communications System (NCS) H 3-1-2
Issued: July, 1990

Telecommunications Service Priority (TSP) System for National Security Emergency Preparedness (NSEP) Service User Manual, National Communications System (NCS) M 3-1-1
Issued: July, 1990

- D. The following publication may be obtained from the Telcordia Number Administration Service Center (NASC), 290 West Mount Pleasant Avenue, Livingston, NJ 07039-0486.

TITLE

Guidelines for 800 Data Base

- E. The following publication may be obtained from Telcordia, Customer Service, 8 Corporate Place, PYA-3A184, Piscataway, NJ 08854-4196.

TITLE

SMS/800 User Guide: 800 Service Management