

Qwest Corporation

PRICE LIST

OREGON

PRIVATE LINE
TRANSPORT SERVICES
FIRST EDITION

SECTION 4
Original Sheet 21

4. ORDER MODIFICATIONS AND MISCELLANEOUS CHARGES

4.1 GENERAL (CONT'D)

4.1.12 ADDITIONAL LABOR

Additional Labor is that labor requested by the customer on a given service and agreed to by the Company as set forth in A. and B., following. The Company will notify the customer that Additional Labor charges as set forth in 4.1.13.B., following, will apply before any additional labor is undertaken. Normal business hours are from Monday through Friday 8 a.m. to 5 p.m. Hours before 8 a.m. and after 5 p.m., Monday and Friday, and all of Saturdays are considered overtime. Sundays and holidays are premium time.

A. Overtime Installation

Overtime Installation is that Company installation effort outside of normal business hours.

B. Other Labor

Other Labor is that additional labor not included in A., preceding, and labor incurred to accommodate a specific customer request that involves only labor which is not covered by any other section of this Price List. Other Labor also includes fine tuning circuits (per occurrence) to return them to the originally designated level even though the circuit has not degraded below the designated immediate action level.

Qwest Corporation

PRICE LIST OREGON

PRIVATE LINE
TRANSPORT SERVICES
FIRST EDITION

SECTION 4
Original Sheet 22

4. ORDER MODIFICATIONS AND MISCELLANEOUS CHARGES

4.1 GENERAL (CONT'D)

4.1.13 ADDITIONAL ENGINEERING AND LABOR CHARGES

A. Charges for Additional Engineering

The charges for Additional Engineering as defined in 4.1.11, preceding, are as follows:

ADDITIONAL ENGINEERING PERIODS	USOC	NONRECURRING CHARGE
• Basic Time, per engineer		
- First 1/2 hour or fraction thereof	AEQXX	\$105.66
- Each additional 1/2 hour or fraction thereof	AEQ1X	44.28
• Overtime, per engineer		
- First 1/2 hour or fraction thereof	AEQOX	158.49
- Each additional 1/2 hour or fraction thereof	AEQ2X	66.42

B. Charges For Additional Labor

The charges for Additional Labor as defined in 4.1.12, preceding, are as follows:

ADDITIONAL LABOR- INSTALLATION PERIODS	USOC	NONRECURRING CHARGE
• Overtime, per technician[1]		
- First 1/2 hour or fraction thereof	ALFOX	\$82.91
- Each additional 1/2 hour or fraction thereof	ALF2X	43.01
• Premium time, per technician[1]		
- First 1/2 hour or fraction thereof	ALFPX	91.35
- Each additional 1/2 hour or fraction thereof	ALF3X	51.45

[1] A call-out of a Company employee at a time not consecutive with employee's scheduled work period is subject to a minimum charge of four hours.

Qwest Corporation

PRICE LIST OREGON

PRIVATE LINE
TRANSPORT SERVICES
FIRST EDITION

SECTION 4
Original Sheet 23

4. ORDER MODIFICATIONS AND MISCELLANEOUS CHARGES

4.1 GENERAL

4.1.13 ADDITIONAL ENGINEERING AND LABOR CHARGES

B. Charges For Additional Labor (Cont'd)

OTHER LABOR	USOC	NONRECURRING CHARGE
• Basic Time, per technician		
- First 1/2 hour or fraction thereof	ALGXX	\$77.84
- Each additional 1/2 hour or fraction thereof	ALG1X	30.27
• Overtime, per technician[1]		
- First 1/2 hour or fraction thereof	ALGOX	80.34
- Each additional 1/2 hour or fraction thereof	ALG2X	32.77
• Premium Time, per technician[1]		
- First 1/2 hour or fraction thereof	ALGPX	86.99
- Each additional 1/2 hour or fraction thereof	ALG3X	39.42

[1] A call-out of a Company employee at a time not consecutive with employee's scheduled work period is subject to a minimum charge of four hours.

Qwest Corporation

PRICE LIST OREGON

PRIVATE LINE
TRANSPORT SERVICES
FIRST EDITION

SECTION 4
Original Sheet 24

4. ORDER MODIFICATIONS AND MISCELLANEOUS CHARGES

4.1 GENERAL (CONT'D)

4.1.14 ACCEPTANCE TESTING

At no additional charge, the Company will, at the customer's request, schedule a mutually agreeable time to cooperatively test the following parameters at the time of installation:

- A. For Voice Grade analog services (except Voice Grade Basic), acceptance tests will include tests for loss, three-tone slope, dc continuity, operational signaling, C-notched noise, and C-message noise when these parameters are applicable and specified in the order for service. Additionally, for Voice Grade Services, a balance (improved return loss) test will be made if the customer has ordered the improved return loss optional feature.
- B. For other analog services (i.e., Low-Speed Data, Audio) acceptance tests will include tests for the parameters applicable to the service and as specified in the order for service.
- C. For Voice Grade Basic Service, no cooperative testing is available.

In addition to the above tests, Additional Cooperative Acceptance Testing for Voice Grade Service to test other parameters, as described in 4.1.15.A., following, is available at the customer's request. All test results will be made available to the customer upon request.

Qwest Corporation

PRICE LIST OREGON

PRIVATE LINE
TRANSPORT SERVICES
FIRST EDITION

SECTION 4
Original Sheet 25

4. ORDER MODIFICATIONS AND MISCELLANEOUS CHARGES

4.1 GENERAL (CONT'D)

4.1.15 TESTING SERVICES

Testing Services offered under this section of the Price List are optional and subject to rates and charges as set forth in 4.1.16.A., following. Other testing services provided by the Company in association with Private Line Transport are furnished at no additional charge. These other testing services are described in 4.1.14, preceding.

Testing services are normally provided by Company personnel at Company locations. However, provisions are made in A. and B., following, for a customer to request Company personnel to perform testing services at the customer's premises.

The offering of Testing Services under this section of the Price List is made subject to the availability of the necessary qualified personnel and test equipment at the various test locations mentioned.

The Company will, at the request of a customer, provide assistance in performing specific tests requested by the customer.

Qwest Corporation

PRICE LIST OREGON

PRIVATE LINE
TRANSPORT SERVICES
FIRST EDITION

SECTION 4
Original Sheet 26

4. ORDER MODIFICATIONS AND MISCELLANEOUS CHARGES

4.1 GENERAL

4.1.15 TESTING SERVICES (CONT'D)

A. Additional Cooperative Acceptance Testing (ACAT)

When a customer provides a technician at its premises or at an End User's premises, with suitable test equipment to perform the required tests, the Company will provide a technician at its office for the purpose of conducting Additional Cooperative Acceptance Testing on Voice Grade Services. At the customer's request, the Company will provide a technician at the customer's premises or at the End User's premises. These tests may consist of the following:

- Attenuation Distortion (i.e., frequency response)
- Intermodulation Distortion (i.e., harmonic distortion)
- Phase Jitter
- Impulse Noise
- Envelope Delay Distortion
- Echo Control
- Frequency Shift

B. Nonscheduled Testing (NST)

When a customer provides a technician at its premises, with suitable test equipment to perform the required tests, the Company will provide a technician at its office for the purpose of conducting Nonscheduled Testing. At the customer's request, the Company will provide a technician at the customer's premises. Nonscheduled tests may consist of any tests, such as loss, noise, slope, or envelope delay which the customer may require.

C. Obligation of the Customer

When the customer subscribes to Testing Service as set forth in this Section, the customer shall make the facilities to be tested available to the Company at times mutually agreed upon.

Qwest Corporation

**PRICE LIST
OREGON**

**PRIVATE LINE
TRANSPORT SERVICES
FIRST EDITION**

**SECTION 4
Original Sheet 27**

4. ORDER MODIFICATIONS AND MISCELLANEOUS CHARGES

4.1 GENERAL (CONT'D)

4.1.16 TESTING CHARGES

A. Additional Cooperative Acceptance Testing (ACAT)

	USOC	NONRECURRING CHARGE
• Basic Time, per technician		
- First 1/2 hour or fraction thereof	SNTXT	\$77.84
- Each additional 1/2 hour or fraction thereof	SNT1T	30.27
• Overtime, per technician[1]		
- First 1/2 hour or fraction thereof	SNTOT	80.34
- Each additional 1/2 hour or fraction thereof	SNT2T	32.77
• Premium Time, per technician[1]		
- First 1/2 hour or fraction thereof	SNTPT	86.99
- Each additional 1/2 hour or fraction thereof	SNT3T	39.42

[1] A call-out of a Company employee at a time not consecutive with employee's scheduled work period is subject to a minimum charge of four hours.

Qwest Corporation

**PRICE LIST
OREGON**

**PRIVATE LINE
TRANSPORT SERVICES
FIRST EDITION**

**SECTION 4
Original Sheet 28**

4. ORDER MODIFICATIONS AND MISCELLANEOUS CHARGES

4.1 GENERAL

4.1.16 TESTING CHARGES

A. Additional Cooperative Acceptance Testing (ACAT) (Cont'd)

1. Nonscheduled Testing (NST)

TESTING PERIODS	USOC	NONRECURRING CHARGE
• Basic Time, per technician		
- First 1/2 hour or fraction thereof	SNOXT	\$56.17
- Each additional 1/2 hour or fraction thereof	SNO1T	32.39
• Overtime, per technician[1]		
- First 1/2 hour or fraction thereof	SNOOT	61.59
- Each additional 1/2 hour or fraction thereof	SNO2T	37.80
• Premium Time, per technician[1]		
- First 1/2 hour or fraction thereof	SNOPT	69.22
- Each additional 1/2 hour or fraction thereof	SNO3T	45.44

[1] A call-out of a Company employee at a time not consecutive with employee's scheduled work period is subject to a minimum charge of four hours.

Transmittal No. 2008-003-PL

Effective: November 1, 2008

NOTICE
THE INFORMATION CONTAINED IN THIS DOCUMENT IS SUBJECT TO CHANGE.

Qwest Corporation

PRICE LIST

OREGON

**PRIVATE LINE
TRANSPORT SERVICES
FIRST EDITION**

SECTION 4
Original Sheet 29

4. ORDER MODIFICATIONS AND MISCELLANEOUS CHARGES

4.1 GENERAL (CONT'D)

4.1.17 DISPATCH CHARGE

The Company assesses Dispatch Charges when a technician(s) is dispatched. The charge applies in the following situations:

A. Service Date Change

One Dispatch Charge applies to all Private Line Transport Services contained in this Price List. The charge applies if, for any reason, the customer requests a service date change but fails to notify the Company before the service date and a Company technician is dispatched to the customer's premises on the service date.

The Company accordingly will delay the start of service, change the service date and assess a Dispatch Charge. The charge will apply each time this situation occurs.

B. Maintenance of Service

One Dispatch Charge applies when one or more technicians are dispatched for Maintenance of Service and no trouble is found in the Company's facilities. If, after the initial repair visit, a repair ticket is still open and a technician(s) is dispatched again, another Dispatch Charge applies. The additional Dispatch Charge only applies if trouble is still not found in Company's facilities. Maintenance of Service charges apply for each technician.

C. Nonrecurring Charge

	USOC	NONRECURRING CHARGE
• Dispatch Charge, per occurrence	VT6++	\$100.00

Qwest Corporation

PRICE LIST OREGON

PRIVATE LINE
TRANSPORT SERVICES
FIRST EDITION

SECTION 4
Original Sheet 30

4. ORDER MODIFICATIONS AND MISCELLANEOUS CHARGES

4.2 PROVISION OF PRIVATE LINE TRANSPORT BILLING INFORMATION-CARRIERS

- A. The customer will receive its monthly bills in a standard format.
- B. At the option of the customer, and for an additional charge:
 - 1. Customer monthly bills may be provided on magnetic tape,
 - 2. Billing detail and/or information may be transmitted to the customer premises by data transmission,
 - 3. Additional copies of the customer monthly bill or service and features record may be provided in standard paper or microfiche format.
- C. Upon acceptance by the Company of an order for data transmission, the Company will determine the period of time to implement the transmission of such material on an individual order basis.

Qwest Corporation

PRICE LIST

OREGON

**PRIVATE LINE
TRANSPORT SERVICES
FIRST EDITION**

SECTION 4
Original Sheet 31

4. ORDER MODIFICATIONS AND MISCELLANEOUS CHARGES

**4.2 PROVISION OF PRIVATE LINE TRANSPORT BILLING INFORMATION-CARRIERS
(CONT'D)**

D. The rates and charges for the provision of Private Line Transport Billing Information are as follows:

	FID	RATE
• Provision of Standard Billing Detail and/or Information in magnetic tape format		
- Per record[1]	DMT	ICB
• Data Transmission to a customer's premises of Billing Detail and/or Information		
- Per record transmitted[1]	BOD DT	ICB
• Additional Copies of the customer's monthly bill or service and features record in standard paper or microfiche format		
- Per page[1]	NOB NEL	ICB
- Per microfiche record[1]	BOD FH	ICB

4.3 SUMMARY BILLING SERVICE

A. Summary Billing Service is provided at the charges and conditions as defined in the Exchange and Network Services Price List, Supplemental Billing Service.

[1] ICB rates and charges apply.

Qwest Corporation

PRICE LIST OREGON

PRIVATE LINE
TRANSPORT SERVICES
FIRST EDITION

SECTION 4
Original Sheet 32

4. ORDER MODIFICATIONS AND MISCELLANEOUS CHARGES

4.4 FACILITIES PROTECTION-SPECIAL FACILITIES ROUTING

4.4.1 GENERAL

The services provided by Qwest Corporation under this Price List are over such routes and facilities as the Company may elect. Special Facilities Routing is involved when, in order to comply with requirements specified by the customer, the Company provides services in a manner which includes one or more of the following conditions:

A. Diversity

Diversity occurs when the service is provisioned over a primary route and secondary route over separate transmission facilities. The alternate routes must have a route separation of twenty-five feet or more. Diversity can be provided on the local loop (from the serving wire center to the customer location), or Interoffice Facilities (between wire centers).

B. Avoidance

Avoidance occurs when service is provisioned in a manner to avoid, or by-pass, a customer defined geographical location.

C. Diversity and Avoidance Options

The following is a description of the standard options available:

Loop Diversity

Provides a second route from the first utility vault outside of the serving wire center to the subscriber premises. The diversity will end at the last terminal prior to the subscriber's premises unless the subscriber provides for a separate facility.

Interoffice Diversity

Provides a second route between the first utility vault outside the serving wire center and the first utility vault outside the remote wire center. This service applies only to Private Line Transport Service.

Avoidance

Geographical avoidance of a given point or wire center.

Qwest Corporation

PRICE LIST OREGON

PRIVATE LINE
TRANSPORT SERVICES
FIRST EDITION

SECTION 4
Original Sheet 33

4. ORDER MODIFICATIONS AND MISCELLANEOUS CHARGES

4.4 FACILITIES PROTECTION-SPECIAL FACILITIES ROUTING (CONT'D)

4.4.2 RATE REGULATIONS

- A. Diversity and Avoidance are available on all Private Line Transport services and on the loop portion of certain Exchange Access services. Loop Diversity is available on LAN Switching Service (LSS) and Metro Optical Ethernet (MOE). Service is subject to availability of facilities. When facilities are not available, Special Construction charges may be assessed.
- B. The rates and charges for Special Facilities Routing are in addition to all other rates and charges that may be applicable to the service provided with Special Facilities Routing.
- C. When a customer orders more than one Special Facilities Routing option such as Loop Diversity and Interoffice Diversity, or multipoint Loop Diversity (i.e., on more than one leg of a multipoint circuit) at the same time, for the same service, only one nonrecurring charge applies. This nonrecurring charge applies to both the primary and secondary route for each service or circuit.
- D. Rate Elements applicable for other services with Special Facilities Routing apply on both the Primary Route and Secondary Route. Special Construction charges may be applicable with Loop Diversity when Secondary Routes are not available.
- E. The terms Primary and Secondary Route are not meant as a reference to quality or usage, but are used to designate separate routing.

Qwest Corporation

PRICE LIST

OREGON

**PRIVATE LINE
TRANSPORT SERVICES
FIRST EDITION**

SECTION 4
Original Sheet 34

4. ORDER MODIFICATIONS AND MISCELLANEOUS CHARGES

4.4 FACILITIES PROTECTION-SPECIAL FACILITIES ROUTING (CONT'D)

4.4.3 RATES AND CHARGES

The rates and charges for Loop and Interoffice Diversity, and Avoidance, are specified following. Customers with 100 terminations or more at a single location may request Diversity and/or Avoidance under an Alternate Pricing Arrangement.

For Private Line Transport or Exchange Access services, monthly rates and nonrecurring charges for Loop and Interoffice Diversity apply on a per termination or per circuit basis. For LAN Switching Service (LSS) and Metro Optical Ethernet (MOE), monthly rates and nonrecurring charges for Loop Diversity apply per Access Link optioned with protection.

Monthly rates and nonrecurring charges for Avoidance apply on a per service basis.

The rates and charges specified are in addition to the rates and charges for the services using Diversity and Avoidance.

DESCRIPTION	USOC	NONRECURRING CHARGE[1]	MONTHLY RATE
<ul style="list-style-type: none"> • Loop Diversity, per point of termination or LSS per LAN Link Termination with Protection or MOE Bandwidth Profile 			
- Primary Route	DEVX1	\$50.00	\$12.00
- Secondary Route	DEVX2	50.00	12.00

[1] Only one nonrecurring charge applies, per circuit or service, when more than one option is ordered for the same service, at the same time.

Qwest Corporation

PRICE LIST OREGON

PRIVATE LINE
TRANSPORT SERVICES
FIRST EDITION

SECTION 4
Original Sheet 35

4. ORDER MODIFICATIONS AND MISCELLANEOUS CHARGES

4.4 FACILITIES PROTECTION-SPECIAL FACILITIES ROUTING

4.4.3 RATES AND CHARGES (CONT'D)

DESCRIPTION	USOC	NONRECURRING CHARGE[1]	MONTHLY RATE
• Interoffice Diversity, per circuit			
- Primary Route	DEWX1	\$50.00	\$10.00
- Secondary Route	DEWX2	50.00	10.00
• Avoidance per service, per occurrence	AOV	50.00	12.00
• Alternate Pricing Arrangement			
- Diversity (per point of termination)	SYD++	[2]	[2]
- Avoidance (per service, per occurrence)	SYA++	[2]	[2]

[1] Only one nonrecurring charge applies, per circuit or service, when more than one option is ordered for the same service, at the same time.

[2] Monthly rates and nonrecurring charges will be specified in the Qwest Corporation Service Agreement.

Qwest Corporation

PRICE LIST OREGON

PRIVATE LINE
TRANSPORT SERVICES
FIRST EDITION

SECTION 4
Original Sheet 36

4. ORDER MODIFICATIONS AND MISCELLANEOUS CHARGES

4.5 POWER PROTECTION FOR HIGH VOLTAGE ENVIRONMENTS

A. Description[1]

1. Company services provided on facilities that extend to a high voltage environment, i.e., electric power generating, switching and distributing locations, require high voltage protection whenever hazardous voltages of 1000V peak-asymmetrical or greater appear on those facilities due to Ground Potential Rise (GPR) and/or induction caused by faults in electric power system(s) located on the customer's premises. The high voltage protection is designed to isolate or neutralize the hazardous voltages. The protection objectives on Company services and facilities at these locations are as follows:
 - a. To minimize electrical hazards to personnel engaged in construction, operation, maintenance and use of telecommunications service.
 - b. To limit electrical damage to telecommunications equipment, cable and wire facilities.
 - c. To provide the required service continuity and integrity of telecommunications transmission as specified by the customer.
2. This offering requires high voltage protection at the customer's premises and at the Company CO whenever the fault-produced GPR/induction equals or exceeds 1000V peak-asymmetrical.

[1] High Voltage Protection, as specified herein, does not apply to services provided on fiber optic facilities.

Qwest Corporation

PRICE LIST OREGON

PRIVATE LINE
TRANSPORT SERVICES
FIRST EDITION

SECTION 4
Original Sheet 37

4. ORDER MODIFICATIONS AND MISCELLANEOUS CHARGES

4.5 POWER PROTECTION FOR HIGH VOLTAGE ENVIRONMENTS (CONT'D)

B. Responsibility of the Customer

1. A customer whose Qwest Corporation services are provided on facilities that extend to a high voltage environment where high voltage protection is required, as set forth in A., preceding, shall be responsible for providing to the Company a completed Form RG 31-0048, "Design Information for Power Industry Channels," which includes the following:
 - a. The maximum return (line fault) current under worst case single phase fault conditions at each location where telecommunications services are requested.
 - b. The type, quantity and projected forecast of each service required at a given location, including those required by contractors or any other temporary service needs, in accordance with the definitions given in D., following.
 - c. The Service Performance Objective Classification for each service in accordance with the definitions in E., following.
 - d. The technical data needed by the Company to determine the method of protection required at each service location. This data includes, but is not limited to, the ground grid area, impedance of the station ground grid to remote earth, X/R ratio of the power system at the probable point of fault, fault current diagrams and maps of major power feeder routes.
2. Changes in the information provided in 1., preceding, will require written notification, with a revised Form RG 31-0048. These changes shall be provided as they occur to permit reevaluation, redesign, implementation and tests of the required modified or new protection method.

Qwest Corporation

PRICE LIST OREGON

PRIVATE LINE
TRANSPORT SERVICES
FIRST EDITION

SECTION 4
Original Sheet 38

4. ORDER MODIFICATIONS AND MISCELLANEOUS CHARGES

4.5 POWER PROTECTION FOR HIGH VOLTAGE ENVIRONMENTS (CONT'D)

C. Responsibility of the Company

1. The Company, working in conjunction with the customer, shall determine the proper methods of protection required to achieve the objectives set forth in A., preceding. the method of protection for every service in a cable shall be coordinated by the Company to be compatible with the protection provided for the most critically important service in that cable.
2. It is expressly declared that metallic facilities are in continually decreasing supply, and the Company is not obligated to continue to make such facilities available. Metallic facilities are offered only where existing facilities and operating conditions permit.
3. The Company reserves the right to treat high voltage protection on an individual case basis, dependent on the type of facilities available.

Qwest Corporation

PRICE LIST OREGON

PRIVATE LINE
TRANSPORT SERVICES
FIRST EDITION

SECTION 4
Original Sheet 39

4. ORDER MODIFICATIONS AND MISCELLANEOUS CHARGES

4.5 POWER PROTECTION FOR HIGH VOLTAGE ENVIRONMENTS (CONT'D)

D. Protection Service Types

1. Protection services which the Company offers are identified according to the following types:

- Type 1

Services requiring either dc transmission or ac and dc transmission used for Basic Exchange Telephone Service and/or Private Line Transport Service.

- Type 2

Private Line Transport Service requiring (ac) Voice Grade and/or (dc) Low Speed Data transmission, used for pilot wire protective relaying or dc tripping.

- Type 3

Private Line Transport Service requiring (ac) Voice Grade transmission only, used for telemetering, supervisory control, data, etc.

- Type 4

Private Line Transport Service requiring (ac) Voice Grade transmission only, used for audio tone protective relaying.

Qwest Corporation

PRICE LIST OREGON

PRIVATE LINE
TRANSPORT SERVICES
FIRST EDITION

SECTION 4
Original Sheet 40

4. ORDER MODIFICATIONS AND MISCELLANEOUS CHARGES

4.5 POWER PROTECTION FOR HIGH VOLTAGE ENVIRONMENTS (CONT'D)

E. Service Performance Objective Classification

1. Interruptions or outages of telecommunications circuits serving electric power substations may occur for physical reasons such as cable damage due to extraordinarily heavy storm loading, a vehicle striking and breaking a utility pole, a cable cut, a lightning strike, or acts of God. Circuit failures caused by such events cannot be prevented, and the Company expressly states that provision of the service provided in this section cannot preclude such service outages as may occur due to the above mentioned circumstances.
2. Interruptions or outages due to the effects (Ground Potential Rise and/or induction) of faults in the customer's power generating, transmission and/or distribution systems are minimized through the installation and maintenance of high voltage protection service which is designed to operate in a fault-produced electrical environment.