

Qwest Corporation

WN U-44
ACCESS SERVICE
WASHINGTON

SECTION 1
1st Revised Sheet 21
Cancels Original Sheet 21

1. APPLICATION AND REFERENCE

1.3 SUBJECT INDEX (CONT'D)

SUBJECT	SECTION
Ordering Options for Switched Access Service.....	5
Ordering Requirements	6
Common Channel Signaling Network (CCSN).....	15
Switched Access Service	6
Ordering, Rating and Billing of Access Services Where More Than One Exchange Telephone Company is Involved	2
Ordering, Rating and Billing of Switched Access Service Provided in Conjunction with a Commercial Mobile Radio Service Provider	2
Ownership of Facilities and Theft	2
Partial Cancellation Charge	5
Payment Arrangements	9
Payment Arrangements and Credit Allowances	2
Payment of Rates, Charges and Deposits	2
Percent Direct Routed Requirements and Reports	2
Performance Requirements.....	15
Portland Local Access and Transport Area (LATA)	14
Protective Connecting Arrangements	13
Provision and Description of Switched Access Services	6
Provision and Ownership of Telephone Numbers	2
Provision of Access Service Billing Information	13
Provision of Other Services	5
Provision of Service Performance Data	6
Provision of Services General Regulations.....	2

(M)

(M) Material moved to Sheet 19.

Qwest Corporation

WN U-44
ACCESS SERVICE
WASHINGTON

SECTION 1
1st Revised Sheet 22
Cancels Original Sheet 22

1. APPLICATION AND REFERENCE

1.3 SUBJECT INDEX (CONT'D)

SUBJECT	SECTION
Rate Categories	6
Common Channel Signaling Network (CCSN)	15
Switched Access Service	6
Rate Regulations	
Common Channel Signaling Network (CCSN)	15
Directory Assistance Service	9
Switched Access Service	6
Rates and Charges	
Common Channel Signaling Network (CCSN)	15
Directory Assistance Service	9
Special Facilities Routing of Access Services	11
Switched Access Service	6
Re-establishment of Service Following Fire, Flood or Other Occurrences	2
Recording Service	8
Reference to Other Publications	1
Reference to Other Tariffs and/or Catalogs	1
Reference to Technical Publications	1
Reference to Washington Administrative Codes	1
References to the Company	2
Refusal and Discontinuance of Services	2
Report Requirements	
Common Channel Signaling Network (CCSN)	15
Switched Access Service	6

(T)

1. APPLICATION AND REFERENCE

1.3 SUBJECT INDEX (CONT'D)

SUBJECT	SECTION
Scope	
General Regulations	2
Seattle Local Access and Transport Area (LATA)	14
Selection of Facilities for Access Orders	5
Service Date Change	5
Service Rearrangements	9
Shared Use	6
Shared Use Facilities	5
Special Construction	5
Special Facilities Routing	
Directory Assistance Service	9
Switched Access Service	6
Special Facilities Routing of Access Services	11
Specialized Service or Arrangements	12
Spokane Local Access and Transport Area (LATA)	14
Standard Jacks - Registration Program	13
Standard Transmission Specifications	6
Subject Index	1
Supervisory Signaling	6
Switched Access Service	6
Switched Access Service Arrangements and Manner of Provision	6
Switched DS3 Facility With CCSAC Service	2
Switched Transport	
Directory Assistance Service	9
Switched Access Service	6

1. APPLICATION AND REFERENCE

1.3 SUBJECT INDEX (CONT'D)

SUBJECT	SECTION
Table of Contents	1
Tariff Format.....	1
Telecommunications Service Priority (TSP) System	13
Testing Requirements	15
Testing Services	13
Title or Ownership Rights.....	2
Trademarks, Service Marks and Trade Names	1
Transmission Specifications	
Directory Assistance Service	9
Switched Access Service	6
Transport Facilities and Manner of Provision.....	9
Transport Termination Optional Features	6
Trunk Group Measurement Reports	6
Undertaking of the Company	
Directory Assistance Service	9
General Regulations.....	2
Unlawful Use	2
Use	2

1. APPLICATION AND REFERENCE

1.4 TARIFF FORMAT

1.4.1 LOCATION OF MATERIAL

1. Section 1 provides the following for all of the sections in this Tariff:
 - Subject Index - an alphabetical listing to find the desired section.
 - Table of Contents - A numerical listing to find the desired section and page.
2. Each individual section in the Tariff provides a Subject Index for the material located within that section.
3. Obsolete Service Offerings

Obsolete service offerings are identified in the Tariff by adding 100 to the current section number, i.e., obsolete items from Section 4, Coin Services, would be found in Section 104, Obsolete Coin Services. This section is then filed behind Section 4.

1.4.2 OUTLINE STRUCTURE

This document uses nine levels of indentations referred to as Tariff Information Management (TIM) Codes, as outlined below:

LEVEL	APPLICATION	EXAMPLE
1	Section Heading	2. GENERAL REGULATIONS
2	Sub Heading	2.5 CONNECTIONS
3	Sub Heading	2.5.1 GENERAL
4	Sub Heading/Text	A. Text
5	Sub Heading/Text	1. Text
6	Sub Heading/Text	a. Text
7	Sub Heading/Text	(1) Text
8	Sub Heading/Text	(a) Text
9	Footnotes	[1] Text

1. APPLICATION AND REFERENCE

1.4 TARIFF FORMAT (CONT'D)

1.4.3 RATE TABLES

Within rate tables, four types of entries are allowed:

- Rate Amount

The rate amount indicates the dollar value associated with the service.

- A dash "-"

The dash indicates that there is no rate for the service or that a rate amount is not applicable under the specific column header.

- A footnote designator "[1]"

The footnote designator indicates that further information is contained in a footnote.

- ICB

The acronym "ICB" indicates that the product/service is rated on an individual case basis.

1.4.4 USOC COLUMN

Within USOC columns, two types of entries are allowed:

- USOC

The three- or five-character code for the product or service.

- N/A

The "N/A" indicates that there is no applicable USOC.

Qwest Corporation

WN U-44
ACCESS SERVICE
WASHINGTON

SECTION 1
1st Revised Sheet 27
Replaces Original Sheet 27

1. APPLICATION AND REFERENCE

1.5 EXPLANATION OF TARIFF CHANGE SYMBOLS

SYMBOL	EXPLANATION	
(C)	To signify changed regulation	
(D)	To signify discontinued material	
(I)	To signify rate increase	
(K)	To signify material moved to another part of the tariff with no change, unless there is another change symbol present.	(N) (N)
(M)	To signify material moved from or to another part of the tariff with no change, unless there is another tariff change symbol present.	
(N)	To signify new material	
(R)	To signify rate reduction	
(T)	To signify a change in text but no change in rate or regulation	

Qwest Corporation

WN U-44
ACCESS SERVICE
WASHINGTON

SECTION 1
1st Revised Sheet 28
Cancels Original Sheet 28

1. APPLICATION AND REFERENCE

1.6 EXPLANATION OF ABBREVIATIONS

ABD	- Average Business Day
ac	- Alternating current
AIN	- Advanced Intelligent Network
dB	- Decibel
AMI	- Alternate Mark Inversion
AML	- Actual Measured Loss
ANI	- Automatic Number Identification
APP	- Application Date
ASR	- Access Service Request
ATP	- Access Transport Parameter
AT&T	- American Telephone and Telegraph Company
ATTP	- Access Tandem Trunk Port
B8ZS	- Bipolar Eight Zero Substitution
BHM	- Busy Hour Minutes
BHMC	- Busy Hour Minutes of Capacity
CAROT	- Centralized Automatic Reporting on Trunks
CCC	- Clear Channel Capacity
CCSAC	- Common Channel Signaling Access Capability
CCSN	- Common Channel Signaling Network
CFA	- Circuit Facility Assignment
CMRS	- Commercial Mobile Radio Service
CN	- Charge Number
CNCC	- Customer Network Control Center
CO	- Central Office
COCTX	- Central Office Centrex
Cont'd	- Continued
CPE	- Customer Provided Equipment
CPN	- Calling Party Number
CSACC	- Customer Service Administration Control Center
CSP	- Carrier Selection Parameter
Ctx	- Centrex

(N)

Qwest Corporation

WN U-44
ACCESS SERVICE
WASHINGTON

SECTION 1
3rd Revised Sheet 29
Cancels 2nd Revised Sheet 29

1. APPLICATION AND REFERENCE

1.6 EXPLANATION OF ABBREVIATIONS (CONT'D)

dB	-	Decibel	
dBm	-	Decibel milliwatt	
dBm0	-	Decibel reference to one milliwatt relative to zero level	
dBrn	-	Decibel Reference Noise	
dBrnc	-	Decibel Reference Noise C-Message Weighting	
dBrnc0	-	Decibel Reference Noise C-Message Referenced to 0	
dBV	-	Decibel(s) relative to 1 volt (reference)	
dc	-	direct current	
DD	-	Service Date	
DDA	-	Digital Data Access	
DLRD	-	Design Layout Report Date	
DTT	-	Direct-Trunked Transport	
800 DB	-	800 Data Base	
EDD	-	Envelope Delay Distortion	
EF	-	Entrance Facility	
ELEPL	-	Equal Level Echo Path Loss	
EML	-	Expected Measured Loss	
EOSP	-	End Office Shared Port	
EPL	-	Echo Path Loss	
ERL	-	Echo Return Loss	
ESS	-	Electronic Switching System	
ESSX	-	Electronic Switching System Exchange	
EXM	-	Exit Message	
f	-	frequency	
F.C.C.	-	Federal Communications Commission	
FID	-	Field Identifier	
FSPOI	-	Facility Signaling Point of Interconnection	(N)
HC	-	High Capacity	
Hz	-	Hertz	
IAM	-	Initial Address Message	
IC	-	Interexchange Carrier	
ICB	-	Individual Case Basis	
ICL	-	Inserted Connection Loss	
ISDN	-	Integrated Services Digital Network	
ISUP	-	Integrated Services Digital Network User Part	
kbps	-	kilobits per second	
kHz	-	kilohertz	
LATA	-	Local Access and Transport Area	
LOF	-	Letter on file	
LPIC	-	Local Primary Interexchange Carrier	

Qwest Corporation

WN U-44
ACCESS SERVICE
WASHINGTON

SECTION 1
2nd Revised Sheet 30
Cancels 1st Revised Sheet 30

1. APPLICATION AND REFERENCE

1.6 EXPLANATION OF ABBREVIATIONS (CONT'D)

Ma	- milliamperes	
Mbps	- Megabits per second	(T)
MF	- Multifrequency	
MHz	- Megahertz	
MLD	- Managed Long Distance	
MOU	- Minutes of Use	
MPTS	- Multiple POTs Tandem Sectorization	
MRC	- Monthly Recurring Charge	
MTS	- Message Telecommunications Service(s)	
MTSO	- Mobile Telephone Switching Office	
MTS/WATS	- Message Telecommunications Service and/or Wide Area Telecommunications Service	
MTS/WATS - type	- Execunet/Sprint-type interstate services which MCI Telecommunications Corporation presently markets as Execunet and Network Service and which Sprint (formerly GTE Sprint) markets as Sprint IV and V or any other like service which may be offered by those two carriers or any other Other Common Carrier	
MUX	- Multiplexing	
NPA	- Numbering Plan Area	
NRC	- Nonrecurring Charge	
NSEP	- National Security Emergency Preparedness	
NTS	- Non-Traffic Sensitive	
NXX	- Three Digit Central Office Code	
OSS	- Operator Service Signaling	
OTPL	- Zero Transmission Level Point	
PAL	- Public Access Line	
PBX	- Private Branch Exchange	
PCM	- Pulse Code Modulation	
PDR	- Percent Direct Routed	
PI	- Priority Installation	
PIC	- Primary Interexchange Carrier	
PLTS	- Private Line Transport Service	
POM	- Percent Other Messages	(N)
POT	- Point of Termination	
POTS	- Plain Old Telephone Service	
PR	- Priority Restoration	
PSP	- Payphone Service Provider	
PTD	- Plant Test Date	

Qwest Corporation

WN U-44
ACCESS SERVICE
WASHINGTON

SECTION 1
1st Revised Sheet 31
Cancels Original Sheet 31

1. APPLICATION AND REFERENCE

1.6 EXPLANATION OF ABBREVIATIONS (CONT'D)

RESP ORG	- Responsible Organization	
rms	- root-mean-square	
RMS	- Remote Switching Modules	
RSS	- Remote Switching Systems	
SCP	- Service Control Point	
SF	- Single Frequency	
SMS/800	- Service Management System/800	
SP	- Signal Point	
SPOI	- Signaling Point of Interface	
SRL	- Singing Return Loss	
SSN	- Switched Service Network	
SSP	- Service Switching Point	
SS7	- Signaling System 7	
STP	- Signal Transfer Point	
SWC	- Serving Wire Center	
TCAP	- Transaction Capabilities Application Part	(N)
TES	- Telephone Exchange Service(s)	
TLP	- Transmission Level Point	
TSP	- Telecommunications Service Priority	
TSPS	- Traffic Service Position System	
USOC	- Uniform Service Order Code	
VG	- Voice Grade	
V & H	- Vertical & Horizontal	
WATS	- Wide Area Telecommunications Service(s)	

Qwest Corporation

WN U-44
ACCESS SERVICE
WASHINGTON

SECTION 1
2nd Revised Sheet 32
Cancels 1st Revised Sheet 32

1. APPLICATION AND REFERENCE

1.7 TRADEMARKS, SERVICE MARKS AND TRADE NAMES

Marks are identified in text throughout this document in all caps and italics, e.g., *SWITCHNET 56* Service.

1.8 REFERENCE TO OTHER TARIFFS AND/OR CATALOGS

Whenever reference is made in this Tariff to other tariffs and/or catalogs of the Company, the reference is to the tariffs and/or catalogs in force as of the effective date of this Tariff, and to amendments thereto and successive issues thereof.

(T)

(T)

(T)

1. APPLICATION AND REFERENCE

1.9 REFERENCE TO TECHNICAL PUBLICATIONS

- A. All service(s) offered in this Tariff shall conform to the transmission specification standards contained in this document or in the following Technical References.
- B. The following publications may be obtained from Telcordia, Customer Service, 8 Corporate Place, PYA-3A184, Piscataway, NJ 08854-4196:

TITLE	PUBLICATION NUMBER
LATA Switching Systems Generic Requirements (LSSGR) Issued: March, 1997	FR-64
Operator Services Systems Generic Requirements (OSSGR) Issued: May, 1997	FR-271
Transport Systems Generic Requirements (TSGR) Issued: 1992 Edition	FR-NWT-000440
Ordering and Billing Forum-Multiple Exchange Carrier Access Billing (MECAB) Issued: June, 1994	SR-BDS-000983
Industry Support Interface (ISI): General Overview Issued: July, 1989	SR-STIS-000284
Ordering and Billing Forum-Multiple Exchange Carrier Ordering and Design Guidelines (MECOD) Issued: June, 1994	SR-TAP-000984

1. APPLICATION AND REFERENCE

1.9 REFERENCE TO TECHNICAL PUBLICATIONS

B. (Cont'd)

TITLE	PUBLICATION NUMBER
Trunk Traffic Engineering Concepts And Applications Issued: December, 1989	SR-TAP-000191
Telecommunications Transmission Engineering Textbook-Volume 3: Network and Services, Third Edition Issued: August, 1989	ST-TEC-000053
Estimated Transmission Performance of Switched Access Service Feature Group-D Issued: July 1984	TR-NPL-000002
Compatibility Information for Feature Group B Switched Access Service Issued: July, 1985	TR-NPL-000175
Compatibility Information for Feature Group D Switched Access Service Issued: October, 1985	TR-NPL-000258
Voice Grade Switched Access Service- Transmission Parameter Limits and Interface Combinations Issued: June, 1994	GR-334-CORE
Switching System Requirements for Interexchange Carrier Interconnection Using the Integrated Services Digital Network User Part (ISDNUP) Issued: November, 1996	GR-394-CORE

1. APPLICATION AND REFERENCE

1.9 REFERENCE TO TECHNICAL PUBLICATIONS

B. (Cont'd)

TITLE	PUBLICATION NUMBER
Network Transmission Interface and Performance Specification Supporting Integrated Services Digital Network (ISDN) Issued: August, 1990	TR-NWT-000938
Common Channel Signaling (CCS) Network Interface Specification Issued: August, 1989 Issued: December, 1996	GR-905-CORE
Common Channel Signaling (CCS) Network Interface Specification Supporting Alternate Billing Services (ABS) Issued: March, 1997	GR-954-CORE
Common Channel Signaling (CCS) Network Interface Specification Supporting Integrated Services Digital Network (ISDN) Issued: September, 1990	TR-TSV-000962
Dual-Tone Multifrequency Receiver Generic Requirements for End-to-End Signaling Over Tandem-Switched Voice Links Issued: March, 1987	TR-TSY-000181
Network Interface Description for ISDN Customer Access Issued: August 1989	TR-TSY-000776
SONET Digital Switch Trunk Interface Criteria Issued: September, 1989	TR-TSY-000782

1. APPLICATION AND REFERENCE

1.9 REFERENCE TO TECHNICAL PUBLICATIONS (CONT'D)

- C. The following Qwest Corporation Technical publications may be obtained from Faison Office Products Company, Customer Services, 3251 Revere Street, Suite 200, Aurora, CO 80011:

TITLE	PUBLICATION NUMBER
Qwest Corporation, Common Channel Signaling Interconnections Issued: June, 1993	77342
Network Channel and Network Channel Interface Combinations Issued: March, 1989	77365

1. APPLICATION AND REFERENCE

1.9 REFERENCE TO TECHNICAL PUBLICATIONS (CONT'D)

- D. The following publication may be obtained from the Telcordia Number Administration Service Center (NACS), 920 West Mount Pleasant Avenue, Livingston, NJ 07039-0486.

TITLE

Guidelines for 800 Data Base, Issue 2.0
Issued: November, 1992
Available: November, 1992

- E. The following publication may be obtained from Telcordia, Customer Service, 8 Corporate Place, PYA-3A184, Piscataway, NJ 08854-4196.

TITLE

SMS/800 User Guide: 800 Service Management, Issue 19
Issued: May, 1997

1. APPLICATION AND REFERENCE

1.10 REFERENCE TO OTHER PUBLICATIONS

- A. The following publications are available for inspection in the Public Reference room of the Tariff Division at the main building of the Federal Communications Commission located at 1919 M Street N.W., Washington, D.C., and may be obtained from the Federal Communications Commission's commercial contractor:

TITLE

CC Docket No. 83-1145, Phase I
Memorandum Opinion and Order
(Including Appendices A, B, and C)
Adopted: May 31, 1985
Released: June 12, 1985

CC Docket No. 85-145
Memorandum Opinion and Order
Adopted: April 16, 1985

National Exchange Carrier Association, Inc.
Tariff F.C.C. No. 4

Qwest Corporation
Tariff F.C.C. No. 1

Qwest Corporation
Tariff F.C.C. No. 2

- B. The following publication may be obtained by contacting the Qwest Corporation Account Representative:

TITLE

Qwest Corporation Service Interval Guide

1. APPLICATION AND REFERENCE

1.10 REFERENCE TO OTHER PUBLICATIONS (CONT'D)

- C. The following publications are referenced in this Tariff and may be obtained through the Government Printing Office, Superintendent of Documents, Document Control Branch, 941 N. Capitol St., N.E., Washington D.C. 20401.

TITLE

Part 64.401, Appendix A, of the Federal Communications Commission's Rules and Regulations, as set forth in:
Gen. Docket No. 87-505
Report and Order
Adopted: October 27, 1988
Released: November 17, 1988

Telecommunications Service Priority (TSP) System for National Security Emergency Preparedness (NSEP) Service Vendor Handbook
National Communications System (NCS) H 3-1-2
Issued: July, 1990

Telecommunications Service Priority (TSP) System for National Security Emergency Preparedness (NSEP) Service User Manual,
National Communications System (NCS) M 3-1-1
Issued: July, 1990

Code of Federal Regulations, Title 47

1. APPLICATION AND REFERENCE

1.11 REFERENCE TO WASHINGTON ADMINISTRATIVE CODES

The following chapter of the Washington Administrative Code (WAC) is referenced in this Tariff and may be obtained from the Washington Utilities and Transportation Commission (WUTC), Chandler Plaza Building, 1300 S. Evergreen Park Drive S.W., P.O. Box 47250 Olympia, Washington 98504-7250.

TITLE

Chapter 480-80 WAC
Chapter 480-120 WAC
Telephone Companies