

Qwest Corporation
Price Schedule No. 2
Wyoming

**EXCHANGE AND
NETWORK SERVICES**
Issued: 9-13-07

SECTION 9
Index Page 1
Release 1
Effective: 9-20-07

9. CENTRAL OFFICE SERVICES

| SUBJECT | PAGE |
|--|-------------|
| Emergency Reporting Service | 1 |
| Universal Emergency Number Service - 911 | 1 |

9. CENTRAL OFFICE SERVICES

9.2 EMERGENCY REPORTING SERVICE

9.2.1 UNIVERSAL EMERGENCY NUMBER SERVICE - 911

A. Description

1. Universal Emergency Number Service - 911 is an exchange service whereby a public safety answering point (PSAP) designated by the 911 customer may receive calls dialed to the telephone number 911. The service includes facilities and equipment needed to switch and transport to the designated PSAP, emergency calls originated by persons within the serving area who dial 911.
2. The 911 customer may be a municipality, state or local government unit, or an authorized agent of one or more of these units. The 911 customer must be legally authorized to subscribe to the service and have public safety responsibility by law to respond to public emergency calls within the telephone central office areas arranged for 911 calling.

B. 911 Services and Features

1. B911 Service

- a. B911 Service includes the Company provision of the 911 code to the exchange network in those central offices that fall within the boundaries of the municipalities or other governmental units that subscribe to 911 Service.
- b. B911 Service connects emergency calls to a PSAP via 911 exchange access lines in a manner similar to normal local exchange calls. No other features are provided with this offering.

2. C911 Service

C911 Service provides B911 Service, in addition to the following standard feature package: forced disconnect, idle tone application, called party hold, emergency ringback and switchhook status features. Activation of the switchhook status and emergency ringback features requires the use of appropriate equipment at the PSAP location.

9. CENTRAL OFFICE SERVICES

9.2 EMERGENCY REPORTING SERVICE

9.2.1 UNIVERSAL EMERGENCY NUMBER SERVICE - 911

B. 911 Services and Features (Cont'd)

3. E911 Service

- a. E911 Service is an enhanced offering of 911 requiring an ESS (1/1A) Control Central Office. E911 has the capabilities to route all calls to a designated PSAP by the caller's telephone number. Automatic Location Identification, as well as Automatic Number Identification, of the caller can be displayed at the PSAP utilizing the Data Management System.

E911 standard features include:

- Forced disconnect
- Default routing
- Alternate routing (night transfer service)
- Speed calling; and
- Central office transfer arrangements.

The following are E911 optional features:

- Selective Routing (SR)
- Automatic Number Identification.
- Automatic Location Identification

9. CENTRAL OFFICE SERVICES

9.2 EMERGENCY REPORTING SERVICE

9.2.1 UNIVERSAL EMERGENCY NUMBER SERVICE - 911 (CONT'D)

C. Feature Definitions

Alternate Routing (AR) - E911

An E911 feature which routes calls to a designated alternate PSAP location if all E911 exchange access lines to the primary PSAP are busy or the primary PSAP is closed for a period of time.

Automatic Location Identification (ALI)

An E911 feature which displays information associated with the calling party's address to the PSAP. This feature cannot be provided without ANI.

Automatic Number Identification (ANI)

An E911 feature which displays the calling party's telephone number at the PSAP. This feature cannot be provided without SR.

Called Party Hold (CPH)

A C911 feature which enables a PSAP attendant to retain control of an incoming 911 call connection even if the calling party hangs up.

9. CENTRAL OFFICE SERVICES

9.2 EMERGENCY REPORTING SERVICE

9.2.1 UNIVERSAL EMERGENCY NUMBER SERVICE - 911

C. Feature Definitions (Cont'd)

Data Management System (DMS)

A complex system of manual procedures and computer programs used to create, store and update data required to provide the Selective Routing (SR) and Automatic Location Identification (ALI) features of E911.

The DMS utilizes caller service address and number information as recorded and retained in the Company's service order systems. As a result certain limitations apply:

- On shared tenant, campus environment and PBX services (i.e. off premises extensions and joint user services) ALI will reflect only the main service address.
- Externally assigned or custom addresses, which are generally used in trailer or mobile parks, will not be displayed on ALI. Only the official recorded service addresses assigned by the county will be retained in the DMS.
- PBX systems where the customer subscribes to special features such as IOD will not reflect the correct ANI information. Automatic Location Identification (ALI) will not be displayed.

Default Routing (DR)

An E911 feature activated when an incoming 911 call cannot be selectively routed due to an ANI failure, garbled digits or other causes. Such incoming calls are routed from the E911 Control Office to a designated default PSAP. Calls placed over multiparty lines of four (4) or more are always default routed.

Qwest Corporation
Price Schedule No. 2
Wyoming

**EXCHANGE AND
NETWORK SERVICES**
Issued: 9-13-07

SECTION 9
Page 5
Release 1
Effective: 9-20-07

9. CENTRAL OFFICE SERVICES

9.2 EMERGENCY REPORTING SERVICE

9.2.1 UNIVERSAL EMERGENCY NUMBER SERVICE - 911

C. Feature Definitions (Cont'd)

E911 Control Office

A central office that provides tandem switching of E911 calls, Selective Routing, speed calling, and call transfer capabilities as well as certain network maintenance functions for each PSAP.

E911 Service Area

The geographic area where a 911 customer will have the capability to respond to all 911 calls and dispatch the appropriate emergency assistance.

E911 Transfer Line

An E911 facility extended to a location other than a PSAP equipped for ANI and is arranged for incoming calls only, on a transfer basis. Upon receipt of a transferred call, it may obtain dial tone by means of switchhook flash, for the purpose of extending the call to another destination.

Emergency Ringback

A C911 feature that allows the PSAP attendant to ringback on an incoming 911 call that has hung up.

Emergency Service Number (ESN)

A number that defines the providers of emergency services (e.g., police, fire or hospital) within the E911 service area. An ESN is associated with each unique combination of public safety agencies providing assistance to callers within the E911 service area.

9. CENTRAL OFFICE SERVICES

9.2 EMERGENCY REPORTING SERVICE

9.2.1 UNIVERSAL EMERGENCY NUMBER SERVICE - 911

C. Feature Definitions (Cont'd)

End Office

A central office through which 911 calls are originated.

Fixed Transfer

An E911 feature that permits PSAP attendants to transfer calls via dedicated facilities to another PSAP by depressing a button associated with each such PSAP on the display and transfer units.

Forced Disconnect

A C911 and E911 feature which prevents blockage of incoming 911 exchange access lines and facilities by allowing the PSAP attendant to release a connected call even though the calling party has not hung up.

Idle Tone Application

A C911 feature which allows the PSAP attendant to distinguish between calls abandoned before they are answered and instances in which the calling party is unable to speak for some reason. If the call is abandoned, a distinct tone is heard. If the caller is still on the line but unable to speak, no tone is heard.

Manual Transfer

An E911 feature which enables the PSAP attendant to transfer an incoming 911 call by depressing the switchhook of the associated telephone or the add button on the display and transfer unit and dialing a 7- or 10-digit telephone number or a speed calling code.

9. CENTRAL OFFICE SERVICES

9.2 EMERGENCY REPORTING SERVICE

9.2.1 UNIVERSAL EMERGENCY NUMBER SERVICE - 911

C. Feature Definitions (Cont'd)

911 Exchange Access Lines

Basic Services (B911 and C911), are provided over facilities in which the 911 calls are routed from the end office to a PSAP.

E911 Service is provided over facilities which may or may not be routed through another central office and are made up of two components.

- Dedicated interoffice facilities between the end office and the E911 Control Central Office.
- Control Office to PSAPs via dedicated facilities.

Public Safety Answering Point (PSAP)

An answering location for 911 calls. PSAPs are staffed by employees of public service agencies such as police, fire, ambulance or by employees of a common bureau serving a group of such entities.

B911 and C911 services require a single PSAP.

In E911 Service there are three classifications of PSAPs:

- Primary PSAP - May receive 911 calls directly from the public or from another PSAP. These PSAPs may or may not be ANI equipped.
- Secondary PSAP - Does not receive 911 calls directly from the public but receives calls transferred from other PSAPs. These PSAPs may or may not be ANI equipped.
- Transfer Location - Can only receive calls transferred from other PSAPs. These PSAPs are not ANI equipped.

9. CENTRAL OFFICE SERVICES

9.2 EMERGENCY REPORTING SERVICE

9.2.1 UNIVERSAL EMERGENCY NUMBER SERVICE - 911

C. Feature Definitions (Cont'd)

Selective Routing (SR)

An E911 feature which permits a 911 call to be routed to the designated primary PSAP.

Selective Transfer

An E911 feature which allows the PSAP attendant to transfer a call to another agency by depressing a button labeled with the type of agency, e.g., fire, on the display and transfer unit. This type of transfer is only available when SR is provided.

Switchhook Status

A C911 feature which provides the PSAP attendant audible and visual indications of whether a 911 call put on hold is still on hold or has been disconnected.

9. CENTRAL OFFICE SERVICES

9.2 EMERGENCY REPORTING SERVICE

9.2.1 UNIVERSAL EMERGENCY NUMBER SERVICE - 911 (CONT'D)

D. Terms and Conditions

1. General

- a. Suspension of service is not provided for any portion of 911 Service.
- b. The Company does not forward 911 calls, but furnishes the use of its facilities to enable the 911 customer's personnel on the 911 customer's premises, to respond to such calls.
- c. The Company shall not be required to provide 911 Service to less than an entire central office and will not provide a mix of 911 Services.
- d. When a customer requests service in a central office that is not currently equipped or scheduled for the 911 code opening or buildout, the customer will incur the cost, on an individual case basis, for the modifications to provide the service.
- e. Application for 911 Service must be executed in writing by each 911 customer. If an application for service is made by an agent, the Company must be provided in writing with satisfactory proof of the appointment of the agent by the 911 customer. At least one local law enforcement agency must be included among the participating agencies in any 911 offering.

9. CENTRAL OFFICE SERVICES

9.2 EMERGENCY REPORTING SERVICE

9.2.1 UNIVERSAL EMERGENCY NUMBER SERVICE - 911

D.1. (Cont'd)

- f. The 911 customer must furnish the Company its agreement to the following terms and conditions:
- That all 911 calls will be answered 24-hours-a-day, 7-days-a-week, 52-weeks-a-year.
 - That the 911 customer has responsibility for dispatching the appropriate emergency service within the 911 service area, or will undertake to transfer all 911 calls received to the governmental agency with responsibility for dispatching such services, to the extent that such services are reasonably available.
 - That the 911 customer will develop an appropriate method for responding to calls for nonparticipating agencies which may be directed to the PSAP by calling parties.
 - That the 911 customer will subscribe to, and provide telephone equipment with a capacity adequate to handle, the number of incoming 911 exchange access lines recommended by the Company to be installed.
- g. Terminal equipment used in conjunction with 911 Service and with the ANI feature shall be configured so that it is unable to extract any other information, relating to the calling party, other than the calling number.
- h. Customer-provided equipment may be furnished to terminate 911 facilities at any PSAP. If 911 customer-provided terminal equipment is utilized at a PSAP, it will be furnished in accordance with the regulations set forth in FCC Part 68 and must meet the operational specifications of the 911 Service requested.

9. CENTRAL OFFICE SERVICES

9.2 EMERGENCY REPORTING SERVICE

9.2.1 UNIVERSAL EMERGENCY NUMBER SERVICE - 911

D.1. (Cont'd)

- i. E911 Service information, consisting of the names, addresses, and telephone numbers of customers whose listings are not published in directories or listed in Directory Assistance offices, is confidential. Information will be provided on a call-by-call basis only for the purpose of responding to emergency calls.
- j. When E911 Service is provided, the 911 calling party forfeits the privacy afforded by Nonlisted or Nonpublished Service to the extent that the telephone number, address, and name associated with the originating station location may be furnished to and for use by the PSAP.
- k. Central Offices that are not currently equipped to transmit ANI will not be modified to provide ANI for 911 Service. Default routing and central office identification will be provided in lieu of selective routing and ANI display. If the customer requests ANI modifications in the central office additional nonrecurring charges will be applied.
- l. ALI and/or ANI will not be provided on calls placed over multiparty lines of four or more (4FR/4FB) regardless of the number of lines in service. Central office identification will be provided.

Qwest Corporation
Price Schedule No. 2
Wyoming

**EXCHANGE AND
NETWORK SERVICES**
Issued: 9-13-07

SECTION 9
Page 12
Release 1
Effective: 9-20-07

9. CENTRAL OFFICE SERVICES

9.2 EMERGENCY REPORTING SERVICE

9.2.1 UNIVERSAL EMERGENCY NUMBER SERVICE - 911

D.1. (Cont'd)

- m. When the selective routing feature is provided, the customer is responsible for identifying PSAP locations as well as the unique combinations of police, fire, and ambulance or any other appropriate agencies responsible for providing emergency service in the 911 serving area. An Emergency Service Number (ESN) will be provided for each unique combination by the Company. Prior to the effective date of service, the customer will associate these ESNs with street address ranges or other mutually agreeable routing criteria in the 911 serving area. These ESNs will be carried in the Data Management System (DMS) to permit routing of 911 calls to the PSAPs responsible. The following terms define the customer's responsibility in providing this information:
- After the establishment of service, it is the customer's responsibility to continue to verify the accuracy of the routing information contained in the master address file, and to advise the Company of any changes in street names, establishment of new streets by zoning Commission, changes in address numbers used on existing streets, closings, and abandonment of streets, changes in police, fire, ambulance, or other appropriate agencies' jurisdiction over any address, annexations, and other changes in municipal and county boundaries, incorporation of new cities or any other matter that will affect the routing of 911 calls to the proper PSAP.
 - The Company will provide to the customer upon request, a complete written copy of the master address file to permit the customer to verify accuracy of the police, fire, and ambulance PSAP routing designations. Such information will not be used by the customer for any other purpose without the written consent of the Company.
 - Changes, deletions and additions which the customer desires to have made in the master address file should be submitted on an as occurred basis. The Company will furnish a written copy to the customer for verification showing each change.

Qwest Corporation
Price Schedule No. 2
Wyoming

**EXCHANGE AND
NETWORK SERVICES**
Issued: 9-13-07

SECTION 9
Page 13
Release 1
Effective: 9-20-07

9. CENTRAL OFFICE SERVICES

9.2 EMERGENCY REPORTING SERVICE

9.2.1 UNIVERSAL EMERGENCY NUMBER SERVICE - 911

D. Terms and Conditions (Cont'd)

2. Liability

- a. 911 Service is provided solely for the benefit of the customer operating the PSAP. The provisions of 911 Service by the Company shall not be interpreted, construed, or regarded, either expressly or implied, as being for the benefit of or creating any Company obligation toward any third person or legal entity other than the customer.
- b. The rates charged for 911 Service do not contemplate the inspection or constant monitoring of facilities to discover errors, defects, and malfunctions in the service, nor does the Company undertake such responsibility. The customer shall make such operational tests as, in the judgment of the customer, are required to determine whether the system is functioning properly. The customer shall promptly notify the Company in the event the system is not functioning properly.
- c. Each customer agrees to release, indemnify, defend and hold harmless the Company from any and all loss, claims, demands, damages, expenses, suits or other actions, or any liability whatsoever, due to acts or omissions by the customer including, but not limited to costs and attorney's fees, whether suffered, made, instituted, or asserted by the customer or by any other party or person, for any personal injury to or death of any person or persons, or for any loss, damage or destruction of any property, whether owned by the customer or others arising out of or resulting from the customer's performance or failure to perform under this Tariff regardless of the form of action. The Company shall give reasonable notice to the customer of any such claim, loss, action, damage, expense or other liability.
- d. The customer also agrees to release, indemnify, and hold harmless the Company for any infringement or invasion of the right of privacy of any person or persons, caused or claimed to have been caused directly or indirectly, by the installation, operation, failure to operate, maintenance, removal, preserve, condition, occasion or use of 911 Service features and the equipment associated therewith, or by any services furnished by the Company in connection therewith, including, but not limited to, the identification of the telephone number, address, or name associated with the telephone used by the party or parties accessing 911 Service hereunder, and which arise out of the negligence or other wrongful act of the Company, the customer, its user, agencies, or municipalities, or the employees or agents of any one of them.

Qwest Corporation
Price Schedule No. 2
Wyoming

**EXCHANGE AND
NETWORK SERVICES**
Issued: 9-13-07

SECTION 9
Page 14
Release 1
Effective: 9-20-07

9. CENTRAL OFFICE SERVICES

9.2 EMERGENCY REPORTING SERVICE

9.2.1 UNIVERSAL EMERGENCY NUMBER SERVICE - 911 (CONT'D)

E. Rates and Charges

1. The calling party is not charged for calls placed to the 911 number.
2. Established rates will apply for B911 and C911 access lines that terminate at the designated PSAP. The monthly rate for the 911 exchange access line is the rate applicable from the exchange area in which the PSAP is located.
3. For B911 and C911 Service, where facilities are provided from exchanges or central offices other than the exchange or central office in which the PSAP is located, charges for FX or FCO service are applicable.

EXCEPTION: Where B911 service is provided without dedicated network facilities in an EAS, no FX or FCO mileage will apply.

4. Rates and charges for E911 Service will be developed on an individual case basis, with the exception of an E911 transfer line.
5. The customer or an authorized agent must submit an E911 service area design. Upon receipt of the E911 service area design the Company will determine all applicable charges.
6. When an E911 transfer line is terminated at a central office other than the E911 control office, FX and FCO rates and charges apply.
7. Charges for customer requests that require addition of lines, removals, moves or changes of exchange access facilities and/or equipment following initial service establishment, will be based upon costs per request.
8. Rates and charges for 911 features that were provided to an existing customer prior to the effective date of this Price Schedule will not apply. However, the rates and charges for the C911 feature package will apply to this customer if a request for additional features is made.

9. CENTRAL OFFICE SERVICES

9.2 EMERGENCY REPORTING SERVICE

9.2.1 UNIVERSAL EMERGENCY NUMBER SERVICE - 911

E. Rates and Charges (Cont'd)

9. The following rates and charges will apply as appropriate for 911 Services.

| | USOC | NONRECURRING CHARGE | MONTHLY RATE |
|---|------|------------------------|-----------------|
| • B911 Service Access Line | | | |
| - 911 Access Line, each (minimum of two lines required)[1] | 91L | [2] | [2] |
| • C911 Service Access Line | | | |
| - 911 Access Line, each (minimum of two lines required)[1] | 91L | [2] | [2] |
| - CO feature package, each business exchange access line equipped | B92 | \$542.00 | \$78.25 |
| • E911 Transfer Line (minimum of two lines required) | E9J | [2] | [2] |

[1] See D.1.d., preceding, for code opening requirements.

[2] Same rates and charges as 1FB plus HTGFF, see Section 5, preceding.

9. CENTRAL OFFICE SERVICES

9.2 EMERGENCY REPORTING SERVICE

9.2.1 UNIVERSAL EMERGENCY NUMBER SERVICE - 911

E. Rates and Charges (Cont'd)

10. The following Nonrecurring Feature Change Charge, will apply when the 911 customer requests a feature change.

**NONRECURRING
CHARGE**

- Per feature charge, per line \$18.50

11. Rates and charges for the following E911 features and facilities will be determined on an individual case basis.

USOC

- End office to control office, each[1] 56N
- Control office to PSAP, each[1] E8K
- Automatic Number Identification, per 100 exchange access lines served E8X
- Selective Routing, per 1000 main stations served E8R
- Automatic Number Identification and Selective Routing, per 1000 main stations served E8T
- Automatic Number Identification and Automatic Location Identification, per exchange access lines served E8V
- Automatic Number Identification and Automatic Location Identification and Selective Routing, per 1000 exchange access lines served E8Z

[1] Minimum of two lines required.

9. CENTRAL OFFICE SERVICES

9.2 EMERGENCY REPORTING SERVICE

9.2.1 UNIVERSAL EMERGENCY NUMBER SERVICE – 911 (CONT'D)

F. Wireless E9-1-1 Connectivity[1]

Wireless E9-1-1 Connectivity allows for the delivery of a wireless 9-1-1 call through the Company E9-1-1 network to a PSAP. Wireless carriers connect directly through the Company E9-1-1 Control Office.

1. Connection through Company E9-1-1 Control Office

Carriers having the capability to provide wireless handset ANI, cell site and sector and/or longitudinal and latitudinal (x,y) coordinates in the appropriate format, may connect directly to the Company's E9-1-1 Control Office. The E9-1-1 Control Office will forward information to the PSAP as well as provide Selective Routing functions.

2. Definitions

ALI Delivery

The process which delivers the ALI information, and the wireless handset's ANI, cellsite and sector and/or longitudinal and latitudinal (x,y) coordinates to the PSAP.

Mobile Switching Center (MSC)

A Wireless Carriers switch that manages facilities used to provide wireless two-way telecommunications services.

[1] Per FCC Report and Order 94-102, the Carrier must at least route a wireless caller's E9-1-1 call to the nearest PSAP and deliver the associated ten-digit wireless handset telephone number, the cell site and the sector.

9. CENTRAL OFFICE SERVICES

9.2 EMERGENCY REPORTING SERVICE

9.2.1 UNIVERSAL EMERGENCY NUMBER SERVICE - 911

F.2. (Cont'd)

Psuedo ANI (PANI)

A unique seven digit non-dialable number used to route a wireless 9-1-1 call.

SR/ALI Phase I Wireless

Selective Routing/Automatic Location Identification (SR/ALI) Phase I provides for the routing of a wireless 911 call to a PSAP based on the PANI and delivery of ALI information to the PSAP, including PANI, and the wireless handset's ANI. This information is "pushed" into the ALI database so that when the PSAP makes the ALI request, this location information is returned.

SR/ALI Phase II Wireless

SR/ALI Phase II provides for the routing of a wireless 911 call to a PSAP based on PANI information. In Phase II, the wireless carrier has equipment that finds latitude and longitude, x and y coordinates, of the caller when they dial 911. This information is held in their database based on the callers ANI. When the PSAP requests the ALI for the caller, they go to the ALI database to "pull" the latitude and longitude information from the wireless carrier's database. SR/ALI Phase II allows the PSAP to continually "pull" the latitude and longitude information via ALI. This ability to "pull" information is referred to as retrievable location (RLOC).

[1] Per FCC Report and Order 94-102, the Carrier must at least route a wireless caller's E9-1-1 call to the nearest PSAP and deliver the associated ten-digit wireless handset telephone number, the cell site and the sector.

9. CENTRAL OFFICE SERVICES

9.2 EMERGENCY REPORTING SERVICE

9.2.1 UNIVERSAL EMERGENCY NUMBER SERVICE - 911

F. Wireless E9-1-1 Connectivity[1] (Cont'd)

3. Terms and Conditions

- a. Wireless E9-1-1 Connectivity is determined by the municipality, county, or state government unit, or an authorized agent to whom authority has been legally delegated. Phase I data (PANI) cellsite and sector, and wireless handset's ANI will be provided by Wireless Carriers if Phase II data (latitude and longitude, coordinates) is not available.
- b. Delivery of wireless calls to the PSAP requires specific entries in the E9-1-1 ALI database. These entries must be MSAG valid and agreed upon by each PSAP. The entries are then loaded into the ALI database by the Wireless Carrier.
- c. A minimum of two dedicated trunks are required between the MSC and the Selective Routing switch and are the responsibility of the Wireless Carrier. In addition, the PSAP is required to subscribe to two selective routing ports to terminate these incoming trunks.
- d. PSAPs must subscribe to either a SR/ALI per trunk port option or an End User Subscriber Option.
- e. The customer is responsible for determining call routing based on jurisdictional boundaries.
- f. Phase II RLOC is an incremental charge to the SR/ALI connectivity option selected and feature functionality.

[1] Per FCC Report and Order 94-102, the Carrier must at least route a wireless caller's E9-1-1 call to the nearest PSAP and deliver the associated ten-digit wireless handset telephone number, the cell site and the sector.

9. CENTRAL OFFICE SERVICES

9.2 EMERGENCY REPORTING SERVICE

9.2.1 UNIVERSAL EMERGENCY NUMBER SERVICE - 911

F. Wireless E9-1-1 Connectivity[1] (Cont'd)

4. Rates and Charges

| | USOC | NONRECURRING CHARGE | MONTHLY RATE |
|--|-----------------|------------------------|-----------------|
| a. Phase I Selective Routing/Automatic Location Identification Trunk Port for each, | | | |
| • Incoming trunk | E8W1X | ICB | ICB |
| • Outgoing trunk | E8WOX | ICB | ICB |
| b. Phase I Selective Routing/Automatic Location Identification Features[2] | E8WEX, E8WFX | ICB | ICB |
| c. Phase II Retrievable Location Feature Functionality[2] | WR9 | ICB | ICB |

[1] Per FCC Report and Order 94-102, the Carrier must at least route a wireless caller's E9-1-1 call to the nearest PSAP and deliver the associated ten-digit wireless handset telephone number, the cell site and the sector.

[2] Rates and Charges based on an individual customer case by case basis.